

## POPEFLEX - The Flexible Choice

The ultimate packaging solution for moisture-sensitive and powdery goods



**Packaging Partners since 1956** 

### POPEFLEX - The Flexible Choice

POPEFLEX is the ultimate solution for moisture-sensitive and powdery goods.

We make POPEFLEX on our newly acquired Windmoller & Holscher Polytex universal tuber, the first installed in Australia. This class-leading tuber converts flat polyethylene (PE) film into a form-fill-seal (FFS) ready tube. It has the versatility to deliver customisable solutions and significant cost savings for our clients.

It can be supplied in a variety of forms - including preformed bags, self-venting & non-venting tubular rolls - and configured in a variety of ways to suit most situations.

The POPEFLEX range of tailor-made solutions is the result of combining the latest PE tubing technology with our vast packaging experience, enabling us to deliver solutions that meet our customer's requirements.

#### **POPEFLEX** advantages include:

#### **Superior moisture barrier**

POPEFLEX's moisture barrier is more effective than paper packaging allowing goods such as dry mixes (mortar, plaster and cement) and other hygroscopic products to be stored outdoors for extended periods and at any time of the year.

#### **Optimum fill-rate performance**

POPEFLEX optimises filling speeds, due to superior deaeration rates, when tailored for your specific filling equipment and batch requirements.

#### **Superior print quality**

Excellent packaging design is a potent marketing tool and can create a lasting competitive advantage. POPEFLEX packaging features 8C Flexo printing, resulting in stunning hi-res images that attract attention, contribute to instant brand recognition and create a favourable overall impression with consumers.

#### **Unmatched impact and tear resistance**

POPEFLEX bags are less prone to damage and leaks during transportation and storage due to their superior strength, impact and tear resistance.

#### **Cleanliness and safety**

With its unique variable ventilation system, POPEFLEX maintains a clean and dust-free working environment even when bagging extra-fine powdery materials.

#### **Environmental sustainability**

POPEFLEX is 100% recyclable.

#### **Full Customisation**

POPEFLEX is highly adaptable and has a wide range of customisable options. Our product specialists have vast technical experience in polymer technologies enabling them to tailor solutions that deliver the performance, efficiencies and product characteristics required.

# POPEFLEX is available in tubular rolls or preformed bags and supplied with either our innovative venting or non-venting technology.



**POPEFLEX self-venting tube:** With its unique integrated venting system and high deaeration rate, POPEFLEX self-venting tube delivers optimal fill-rates while ensuring the contents remain secure inside. Once the bag is sealed contaminants such as dirt, dust and moisture cannot penetrate, resulting in superior product protection during transportation and storage.

#### Available customisable solutions



#### 8 colour Flexo printing

8C printing produces striking photo-realistic images that enhance the overall look of the final product.



#### Variable deaeration performance

Optimised to match specific filling equipment and batch requirements.



#### **Seal Plus**

Enhanced seam strength reducing the risk of product loss and contamination.



#### Anti-slip coatings and film embossing

Coatings and or film embossing can be added to create non-slip surfaces, for improved safety and handling characteristics.



#### Film down-gauging

POPEFLEX film can be 'down-gauged' to lower packaging costs and optimise efficiencies.


Table 1: POPEFLEX specifications

opoomoutiono								
POPEFLEX - Solution	Flat Tube width	Side Gusset Depth						
	cm	cm						
Self-venting Tubing	26-55	3-10						
Non-venting Tubing	26-55	3-10						
Preformed Bags	na	3-10						

**Table 2: POPEFLEX Customisable solutions** 

Customisable solutions										
Seal Plus	Anti-Slip Coatings	Anti-Slip Embossing	Moisture Barrier	Impact & Tear Resistance	Optimal fill rate	Back seam slitting	Print	Film	Recyclable	
						Venting System	8C flexo	Down- guaging		
$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	<b>√</b>	<b>✓</b>	$\checkmark$	<b>✓</b>	$\checkmark$	$\checkmark$	
$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	✓			<b>✓</b>	$\checkmark$	$\checkmark$	
$\checkmark$	$\checkmark$	<b>✓</b>	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$	<b>√</b>	$\checkmark$	





#### WESTERN AUSTRALIA

33 Furnace Rd, Welshpool, WA 6106 P: (08) 6258 2500

F: (08) 9451 8287

E: wasales@popes.com.au

#### **SOUTH AUSTRALIA**

Cnr Leeds & Ninth St, Woodville, SA 5012 P: (08) 8243 3100

F: (08) 8445 6622 E: sasales@popes.com.au

#### **VICTORIA**

5 Boundary Rd, Nth Melbourne, Vic 3051

P: (03) 9322 1444

F: (03) 9328 4100

E: vicsales@popes.com.au

#### QUEENSLAND

105 Colebard St West, Acacia Ridge, QLD 4110

P: (07) 3426 3300

F: (07) 3255 5012

E: qldsales@popes.com.au

#### **NEW SOUTH WALES**

5 Princes Road East, Auburn, NSW 2144

P: (02) 8708 6250

F: (02) 9743 8135

E: nswsales@popes.com.au

# CALL POPE PACKAGING TODAY: 1300 852 693

For further details or to discuss your requirements, please contact your local Sales Manager.

popes.com.au

# NEW ZEALAND Textile Bag & Sack Company textilebag.co.nz

NORTH ISLAND 4 Bancroft Crescent, Glendene, Auckland, New Zealand

P: +64 9 629 0266

SOUTH ISLAND 55 Byron Street

Christchurch, New Zealand

P: +64 3 961 3535